


LIMITED TENSION DEADENDS FOR ADSS FIBER

CATALOG #: ADDE-2870xxx Series

Limited tension deadends are designed to securely terminate ADSS aerial fiber optic cable.




ASSEMBLY COMPONENTS

- » Deadend grip (galvanized steel)
- » Structural reinforcing rods (galvanized steel)
- » Optional
 - » Thimble Clevis (-C1)
 - » Thimble Clevis, extension link, eyenut assembly (-C1E1)
- » Grips are color coded with identification tag



LOADING


- » 1000 lb (4.4kN) maximum installation tension
- » 2500 lb (11.1kN) maximum loaded tension



Scan code or visit
macleannetworksolutions.com
for more information

PRODUCT OFFERINGS

Deadend Wrap Only	Deadend with Thimble Eye (-C1)	Deadend with Thimble Clevis, Extension Link, and Eye Nut (-C1E1)	Cable Range - in	Cable Range - mm	Length - in (mm)	Color
ADDE-2872001	ADDE-2872001-C1	ADDE-2872001-C1E1	0.400 - 0.424	10.1 - 10.7	48 (1.2)	Black
ADDE-2872002	ADDE-2872002-C1	ADDE-2872002-C1E1	0.425 - 0.451	10.8 - 11.4	48 (1.2)	Yellow
ADDE-2872003	ADDE-2872003-C1	ADDE-2872003-C1E1	0.452 - 0.481	11.5 - 12.2	48 (1.2)	Green
ADDE-2872004	ADDE-2872004-C1	ADDE-2872004-C1E1	0.482 - 0.510	12.3 - 12.9	48 (1.2)	Orange
ADDE-2872005	ADDE-2872005-C1	ADDE-2872005-C1E1	0.511 - 0.542	13.0 - 13.7	48 (1.2)	Blue
ADDE-2872006	ADDE-2872006-C1	ADDE-2872006-C1E1	0.543 - 0.577	13.8 - 14.6	48 (1.2)	White
ADDE-2872007	ADDE-2872007-C1	ADDE-2872007-C1E1	0.578 - 0.613	14.7 - 15.5	48 (1.2)	Red
ADDE-2872008	ADDE-2872008-C1	ADDE-2872008-C1E1	0.614 - 0.651	15.6 - 16.5	48 (1.2)	Black
ADDE-2872009	ADDE-2872009-C1	ADDE-2872009-C1E1	0.652 - 0.692	16.6 - 17.5	48 (1.2)	Yellow
ADDE-2872010	ADDE-2872010-C1	ADDE-2872010-C1E1	0.693 - 0.737	17.6 - 18.7	48 (1.2)	Green
ADDE-2872011	ADDE-2872011-C1	ADDE-2872011-C1E1	0.738 - 0.784	18.8 - 19.9	48 (1.2)	Orange
ADDE-2872012	ADDE-2872012-C1	ADDE-2872012-C1E1	0.785 - 0.834	20.0 - 21.1	48 (1.2)	Blue
ADDE-2872013	ADDE-2872013-C1	ADDE-2872013-C1E1	0.835 - 0.889	21.2 - 22.5	48 (1.2)	White
ADDE-2872014	ADDE-2872014-C1	ADDE-2872014-C1E1	0.890 - 0.945	22.6 - 24.0	48 (1.2)	Red
ADDE-2872015	ADDE-2872015-C1	ADDE-2872015-C1E1	0.946 - 1.007	24.1 - 25.5	48 (1.2)	Black
ADDE-2872016	ADDE-2872016-C1	ADDE-2872016-C1E1	1.008 - 1.073	25.6 - 27.2	60 (1.5)	Yellow
ADDE-2872017	ADDE-2872017-C1	ADDE-2872017-C1E1	1.074 - 1.140	27.3 - 28.9	60 (1.5)	Green
ADDE-2872018	ADDE-2872018-C1	ADDE-2872018-C1E1	1.141 - 1.212	29.0 - 30.7	60 (1.5)	Orange
ADDE-2872019	ADDE-2872019-C1	ADDE-2872019-C1E1	1.213 - 1.288	30.8 - 32.5	60 (1.5)	Blue



ATTACHMENT HARDWARE

Catalog Number	Suffic Code	Description	Strength - lbs	Min Seat Dia - in	Min. Groove Dia - in	Material
CT-88	C1	Thimble Clevis	12,500	2 1/4	7/8	Ductile Iron



Catalog Number	Suffic Code	Description	Strength - lbs	Material
CEL-14 + J1092	E1	14" Extension Link + 5/8 Eye Nut	15,000	Ductile Iron



MacLean Network Solutions
 610 Pond Drive | Wood Dale, IL 60191
 Phone: 800-350-1650
 sales@macleansenior.com | www.macleannetworksolutions.com

CROSS REFERENCE

Preformed	AFL	MacLean
2872001-C1E1	ADESE400/424C	ADDE-2872001-C1E1
2872002-C1E1	ADESE425/451C	ADDE-2872002-C1E1
2872003-C1E1	ADESE452/481C	ADDE-2872003-C1E1
2872004-C1E1	ADESE482/510C	ADDE-2872004-C1E1
2872005-C1E1	ADESE511/542C	ADDE-2872005-C1E1
2872006-C1E1	ADESE543/577C	ADDE-2872006-C1E1
2872007-C1E1	ADESE578/613C	ADDE-2872007-C1E1
2872008-C1E1	ADESE614/651C	ADDE-2872008-C1E1
2872009-C1E1	ADESE652/692C	ADDE-2872009-C1E1
2872010-C1E1	ADESE693/737C	ADDE-2872010-C1E1
2872011-C1E1	ADESE738/834C	ADDE-2872011-C1E1
2872012-C1E1	ADESE785/834C	ADDE-2872012-C1E1
2872013-C1E1	ADESE835/889C	ADDE-2872013-C1E1
2872014-C1E1	ADESE890/945C	ADDE-2872014-C1E1
2872015-C1E1	ADESE946/1007C	ADDE-2872015-C1E1
2872016-C1E1	ADESE1008/1073C	ADDE-2872016-C1E1
2872017-C1E1	ADESE1074/1140C	ADDE-2872017-C1E1
2872018-C1E1	ADESE1141/1212C	ADDE-2872018-C1E1
2872019-C1E1	ADESE1213/1288C	ADDE-2872019-C1E1